Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	Tridonic GmbH & Co KG
--------------------------------	-----------------------

Supplier's address: Global Technical Sales, Faerbergasse 15, 6851 Dornbirn, AT

Model identifier: 28003683

Type of light source	Type	of lig	ht so	ource:
----------------------	------	--------	-------	--------

Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	None				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded	22	Energy efficiency class	F		

mode (KWII) 1000 II), Todilaca		Ciuss	
up to the nearest integer			
Useful luminous flux (фuse), in-	2 550 in	Correlated colour	2 700
dicating if it refers to the flux in	Sphere (360°)	temperature,	
a sphere (360º), in a wide cone		rounded to the near-	


(120º) or in	a narrov	v cone (90º)		est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	
On-mode	power	(P_{on}) ,	ex-	22,0	Standby power (P _{sb}),	

On-mode pow pressed in W	ver (P _{on}), ex-	22,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	2	Spectral power dis-	See image
sions without	Width	8	tribution in the	in last page

Outer dimen-	Height	2	Spectral power dis-	See image
sions without	1110000	8	tribution in the	in last page
separate con-	Depth	50 000	range 250 nm to 800	
trol gear, light-	Берин	30 000	nm, at full-load	
ing control				

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,456	
		nates (x and y)	0,406	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	50	Survival factor	1,00	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 844512 https://eprel.ec.europa.eu/qr/844512

Supplier: Tridonic GmbH & Co KG (Manufacturer) **Website:**

Customer care service:

Name: Global Technical Sales Website:

Email: sales@tridonic.com Phone: +43 5572 3950

Address:

Faerbergasse 15 6851 Dornbirn

Austria