

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** LOOM Design

**Supplier's address:** Main Office, Lilleringvej 30, 8462 Aarhus Harlev, DK

**Model identifier:** MJ-1002W

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	COB		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

## Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

### General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	13	Energy efficiency class	G
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	882 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 733
On-mode power ( $P_{on}$ ), expressed in W	13,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, light-	Height	1	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	3	
	Depth	3	
			See image in last page

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,463 0,420
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	91	Survival factor	0,90
the lumen maintenance factor	0,95		

(a) : not applicable;

(b) : not applicable;

## Lightsource Test Report


### Product Information

Product Type: mj-1002w

Product Number: 2

### CIE Colorimetric Parameters

Chromaticity coordinates:  $x=0.4597$   $y=0.4145$   $u(u')=0.2606$   $v=0.3525$   $v'=0.5288$   
 CCT:  $T_c=2733K$  ( $duv=0.00147$ ) Color Ratio:  $R=0.268$   $G=0.707$   $B=0.025$   
 Peak Wavelength: 636.3nm Half Bandwidth: 156.2nm  
 Dominant Wavelength: 583.6nm Color Purity: 0.624  
 Central Wave: 616.7nm Gravity Wave: 623.1nm  
 CRI:  $R_a=98.3$  TM30:  $R_f=96$ ,  $R_g=100$   
 GAI:  $GAI\_BB\_8=95.3$ ,  $GAI\_BB\_15=100.1$ ,  $GAI\_EES=47.3$   
 R1 =100 R2 =99 R3 =96 R4 =99 R5 =100 R6 =99 R7 =99 R8 =97  
 R9 =91 R10=96 R11=96 R12=89 R13=100 R14=97 R15=98  
 Color Quality Scale:  $Q_a=95.2$ ,  $Q_f=97.3$ ,  $Q_p=97.5$ ,  $Q_g=96.9$   
 Q1 =94 Q2 =96 Q3 =94 Q4 =95 Q5 =97 Q6 =96 Q7 =97 Q8 =97  
 Q9 =95 Q10=94 Q11=94 Q12=95 Q13=96 Q14=96 Q15=95



### Photometric Parameters

Luminous Flux: 882.35 lm Efficiency: 68.83 lm/W Radiant Power: 3.363 W  
 Total mains efficacy: 80.94 lm/W Energy Efficiency Class: G (EU 2019/2015)

### Electric Parameters

Voltage: 219.20V Current: 0.0610A Power: 12.82W  
 Power Factor: 0.9570 Frequency: 49.99Hz


### Test Information

Scan Range: 380~800:1nm Photometric Method: sphere-spectroradiometer  
 Stabilization Time: 0 Sec ALC.: 1.0000 Photometric Condition: Sphere diameter: 1.50m, 4T  
 Max of Signal: 45885 (2411) CCD Integration Time: 367.39 ms

Condition: Tx:19.7°C, Ti:19.4°C, R.H.:60%  
 Test Lab:  
 Operator:

Test Device: CMS-2S (Plus)  
 Test Time: 2021-12-23 10:24:18  
 Inspector:

Model placed on the Union market from 15/02/2021



**EPREL registration number:** 1179529

<https://eprel.ec.europa.eu/qr/1179529>

**Supplier:** Lampefeber A/S (Importer)

**Website:** [www.lampefeber.com](http://www.lampefeber.com)

**Customer care service:**

**Name:** Main Office

**Website:**

**Email:** [mail@lampefeber.com](mailto:mail@lampefeber.com)

**Phone:** 4586361722

**Address:**

Lilleringvej 30  
8462 Harlev  
Denmark